

# Exercises on Compilers

Jordi Cortadella

February 7, 2022

## Semantic Analysis

---

1. We look at a simple language with an exception mechanism:

$$\begin{aligned} S &\rightarrow \text{throw id} \\ S &\rightarrow S \text{ catch id} \Rightarrow S \\ S &\rightarrow S \text{ or } S \\ S &\rightarrow \text{other} \end{aligned}$$

A **throw** statement throws a named exception. This is caught by the nearest enclosing **catch** statement (i.e., where the throw statement is in the left sub-statement of the catch statement) using the same name, whereby the statement after the arrow in the catch statement is executed. An **or** statement is a non-deterministic choice between the two statements, so either one can be executed. *other* is a statement that does not throw any exceptions. We want the type checker to ensure that all possible exceptions are caught and that no catch statement is superfluous, i.e., that the exception it catches can, in fact, be thrown by its left sub-statement. Write type-check functions that implement these checks.

**Hint:** Let the type of a statement be the set of possible exceptions it can throw.

---

2. [From Aho-Sethi-Ullman's book.]

Let us consider the grammar of a simple language, represented by the nonterminal  $P$ , consisting of a sequence of declarations  $D$  followed by a single expression  $E$ .

$$\begin{aligned} P &\rightarrow D ; E \\ D &\rightarrow D ; D \mid \text{id} : T \\ T &\rightarrow \text{char} \mid \text{integer} \mid \text{array} [\text{num}] \text{ of } T \mid *T \\ E &\rightarrow \text{literal} \mid \text{num} \mid \text{id} \mid E \text{ mod } E \mid E [ E ] \mid E* \end{aligned}$$

One program generated by the grammar is:

```
key: integer;
key mod 1999
```

The language has two basic types, *char* and *integer*; a third basic type *type\_error* is used to signal errors. For arrays, the number inside the square brackets represents its size. For example,

```
array [256] of char
```

leads to the type expression  $\text{array}(256, \text{char})$ . The prefix operator  $*$  in declarations builds a pointer type, so  $*\text{integer}$  leads to the type expression  $\text{pointer}(\text{integer})$ .

The action associated with the production  $D \rightarrow \text{id} : T$  saves a type in the symbol-table entry for an identifier. The action  $\text{addtype}(\text{id.entry}, T.\text{type})$  is applied to the synthesized attribute *entry* pointing to the symbol-table entry for *id* and a type expression represented by the synthesized attribute *entry* of the nonterminal  $T$ .

If  $T$  generates *char* or *integer*, then  $T.\text{type}$  is defined to be *char* or *integer*, respectively. The upper bound of an array is obtained from the attribute *val* of token *num* that gives the integer represented by *num*. Since the declarations appear before the expression, we can be sure that the types of all declared identifiers will be saved in the symbol table before the expression is checked.

Next, part of the semantic actions that save the type of an identifier in the symbol table is shown:

$$\begin{aligned} P &\rightarrow D ; E \\ D &\rightarrow D ; D \\ D &\rightarrow \text{id} : T && \{ \text{addtype}(\text{id.entry}, T.\text{type}) \} \\ T &\rightarrow \text{char} && \{ T.\text{type} := \text{char} \} \\ T &\rightarrow \text{integer} && \{ T.\text{type} := \text{integer} \} \\ T &\rightarrow *T_1 && \{ T.\text{type} := \text{pointer}(T_1.\text{type}) \} \\ T &\rightarrow \text{array} [\text{num}] \text{ of } T_1 && \{ T.\text{type} := \text{array}(\text{num.val}, T_1.\text{type}) \} \end{aligned}$$

The tokens *literal* and *num* have type *char* and *integer*, respectively. The expressions formed by applying the *mod* operator to two subexpressions of type *integer* has type *integer*; otherwise, its type is *type\_error*. In an array reference  $E_1[E_2]$ , the index expression  $E_2$  must have type *integer*. The type of  $E*$  is the type  $t$  of the object pointed to by the pointer  $E$ .

Add the type checking actions of the grammar to synthesize the attribute  $E.\text{type}$  for the expression. We can use the function  $\text{lookup}(\text{id.entry})$  to fetch the type saved in the symbol table for the entry corresponding to the identifier *id*.

---

3. Let us consider the following fragment of C code:

```
struct {
    int a;
    char b;
} c;

(int *) d[10];

struct {
    struct {
        int *e;
        char f[10];
    } *g;
    (char *) h[10];
} e, *f;
```

```
1: ((*f).g).f[*d[4]] = c.b;
2: e.h[11] = &(c.b);
3: *(e.g + int) = ((*f).g);
4: d[12] = &(c.a+1);
5: c.a = e.2[h];
6: (*f)..h[1];
```

- Give an AST for the type of variable `f`. Use the label `struct` to represent the root node of a struct's AST and the label `array[n]` to represent the root node of an array of  $n$  elements. When representing a `struct`, annotate the label of each field at the tree edge associated to the field.
- Give an AST representing the assignment in line 1 and infer the type associated to each node of the AST. Represent the access to a `struct (x.y)` as a binary tree  $(.,x,y)$  and the access to an array  $(a[i])$  as a binary tree  $([],a,i)$ . Is it a correct assignment?
- Detect all possible errors in the lines of code 1-6. Indicate when the error is detected (lexical, syntax, semantic, runtime).
- Indicate when the following errors are detected (lexical, syntax, semantic, runtime):
  - `&` can only be used for an addressable memory location.
  - Missing semicolon at the end of a statement.
  - The LHS and RHS types of an assignment are not compatible.
  - A character does not belong to the alphabet of the language.
  - An array index is out of bounds.
  - An array index must be integer.
  - Unclosed parenthesis in an expression.
  - Division by zero.
  - Unclosed quotes `"` of a string.
  - Only integer values can be added to pointers.